

CONCRETE DROP INLET

TYPE A						
D	W1	MIN. W2	W3	a	b	MIN. H
1'-3"	2'-0"	2'-6 1/2"	2'-7"	0'-3 1/2"	0'-6"	3'-3"
1'-6"	2'-0"	2'-9 1/2"	0	0'- 3 1/2"	0'-6"	3'-6"
2'-0"	2'-8"	4'-0 1/2"	3'-3"	0'- 7 1/2"	1'-1"	4'-9"
2'-6"	3'-4"	5'-1 1/2"	3'-11"	0'-11 1/2"	1'-8"	5'-10"
3'-0"	3'-10"	6'- 1/2"	4'-5"	1'-2 1/2"	2'- 1/4"	6'-10"
3'-6"	4'-5"	7'-2 1/2"	5'-0"	1'-6"	2'-7 1/4"	7'-11"
4'-0"	5'-0"	8'- 3 1/2"	5'-7"	1'-9 1/2"	3'- 1 1/4"	9'-0"
4'-6"	5'-7"	9' - 4 1/2"	6'-2"	2'-1"	3'-7 1/4"	10'-1"
5'-0"	6'-2"	10"- 5 1/2"	6'-9"	2'-4 1/2"	4'-1 1/2"	11'-2"
5'-6"	6'-9"	11'- 6 1/2"	7'-4"	2'-8"	4'-7 1/2"	12'-3"
6'-0"	7'-4"	12- 7 1/2"	7'-11"	2'-11 1/2"	5'-1 1/1"	13'-4"

TYPE B		
NORMAL W OR W1	MIN h	MIN H
2" -0"	2'-7 1/2"	3'-9 1/2"
2'-3"	2'-10"	4'-0"
3'-0"	3'-8"	4'-10"
3'-6 1/2"	4'-2 1/2"	5'-4 1/2"
4'-2"	4'-10"	6'-0"
4'-8 1/2"	5'-4 1/2"	6'-6 1/2"
5'-3 1/2"	5'-11 1/2"	7'- 1 1/2"
5'-10"	6'-6"	7'-8"
6'-4 1/2"	7'-0 1/2"	8'-2 1/2"
6'-11"	7'-7"	8'-9"
7'-5 1/2"	8'-1 1/2"	9'- 3 1/2"



LATEST REVISION

03/17/2020

CITY OF CUMMING

DEPARTMENT OF UTILITIES

DROP INLET DIMENSIONS

DETAIL NUMBER:

SW-9B

SCALE: NOT TO SCALE